Puradigm Test Results Summary



Surface Reductions			
Pathogen	Reduction	Testing Organization	
Acinetobacter baumannii	98.22%	Ankara Oncology Hospital	
Aspergillus brasiliensis	84.15%	UC Colorado Hospital	
Bacillus atrophaeus	99.81%	Kansas State University Food Science Institute	
Bacteria	99.45%	Institut Jantung Negara PICU Malaysia	
Bacteria	99.98%	Quadrants Scientific Inc - Golds Gym	
Bacteria	99.63%	Quadrants Scientific Inc - Nail Salon	
C. Diff	99.53%	NSF international Lab	
Candida albicans	99.99%	Kansas State University Food Science Institute	
CRE	99.98%	Kansas State University Food Science Institute	
Coronavirus 229E	99.00%	Central Michigan University College of Medicine	
COVID 19 (SARS-CoV-2)	97.70%	University of Florida College of Medicine	
COVID 19 (DELTA Variant)	99.78%	Australia Government Lab	
Dengue virus type 2	99.00%	Central Michigan University College of Medicine	
E. coli	99.59%	Kansas State University Food Science Institute	
E. coli	99.99%	Ministry of Healthcare of Ukraine	
E. coli O157:H7	99.41%	Kansas State University Food Science Institute	
Enterococcus faecalis	99.99%	Ministry of Healthcare of Ukraine	
Fungus	99.99%	Ministry of Healthcare of Ukraine	
H1N1	99.60%	Guangdong Detection Center of Microbiology	
Legionella	99.99%	Kansas State University Food Science Institute	
Listeria monocytogenes	99.87%	Kansas State University Food Science Institute	
Mold	89.00%	Ultimate Labs	
MRSA	99.24%	Kansas State University Food Science Institute	
Pseudomonas aeruginosa	74.88%	UC Colorado Hospital	
Pseudomonas aeruginosa	99.54%	Kansas State University Food Science Institute	
Stachybotrys chartarum	99.99%	Kansas State University Food Science Institute	
Staphylococcus aureus	99.99%	Ankara Cancer Education and Research Clinic Turkey	
Staphylococcus aureus	99.15%	Kansas State University Food Science Institute	
Staphylococcus aureus	99.90%	Pontiac General Hospital	
Staphylococcus aureus	74.88%	UC Colorado Hospital	
Staphylococcus epidermidis	99.99%	Ministry of Healthcare of Ukraine	
Streptococcus pneumoniae	98.83%	Kansas State University Food Science Institute	
Total Aerobic Count	66.49%	Meat Production Plant	
Total Coliforms	93.88%	Meat Production Plant	
VRE	98.22%	Ankara Oncology Hospital	

Puradigm Test Results Summary



Air Reductions			
VOC	Reduction	Testing Organization	
Acetaldehyde	96.00%	Hye-sung Environment Inc. Korea	
Acetone	97.81%	Ministry of Healthcare of Ukraine	
Acetone	89.75%	Atmospheric Analysis-Consulting	
Ammonia	82.90%	Guangdong Detection Center of Microbiology	
Ammonia	93.00%	Hye-sung Environment Inc. Korea	
Ammonia	97.57%	Ministry of Healthcare of Ukraine	
Bacteria	95.50%	Ultimate Labs	
Benzene	80.00%	Guangdong Detection Center of Microbiology	
Butanone	97.00%	Hye-sung Environment Inc. Korea	
Butyraldehyde	87.00%	Hye-sung Environment Inc. Korea	
Carbon Disulfide	99.99%	Atmospheric Analysis-Consulting	
COVID 19 (BETA Variant)	98.70%	University of Florida College of Medicine	
Dimethyl Disulfide	71.00%	Hye-sung Environment Inc. Korea	
Dimethyl Sulfide	87.00%	Hye-sung Environment Inc. Korea	
Formaldehyde	81.10%	Guangdong Detection Center of Microbiology	
Hydrogen Sulfide	97.00%	Hye-sung Environment Inc. Korea	
i-Valeric Acid	94.00%	Hye-sung Environment Inc. Korea	
Methyl isobutyl ketone	99.99%	Hye-sung Environment Inc. Korea	
Mold	99.99%	Ultimate Labs	
n-Butyric Acid	98.00%	Hye-sung Environment Inc. Korea	
n-Valeric Acid	69.00%	Hye-sung Environment Inc. Korea	
Propanol (IPA)	60.69%	Atmospheric Analysis-Consulting	
Propene	99.99%	Atmospheric Analysis-Consulting	
Propionaldehyde	92.00%	Hye-sung Environment Inc. Korea	
Propionic Acid	75.00%	Hye-sung Environment Inc. Korea	
Styrene	86.00%	Hye-sung Environment Inc. Korea	
Toluene	99.00%	Hye-sung Environment Inc. Korea	
Toluene	99.99%	Atmospheric Analysis-Consulting	
Total VOC	83.20%	Guangdong Detection Center of Microbiology	
Trimethylamine	93.00%	Hye-sung Environment Inc. Korea	
Xylene	95.00%	Hye-sung Environment Inc. Korea	